AMENDMENTS TO THE CLAIMS UNDER 37 C.F.R. § 1.121(c):

Please amend claims 21-25, 28, 31, 34, 37-39, and 41 as indicated below.

A complete version of the entire set of pending claims under 37 C.F.R. § 1.121(c)(3) follows:

- 1-20. (Previously Cancelled)
- 21. (Currently amended) A craze resistant wire coating composition for magnet wires comprising:
- 1) a-an organic solvent solution of a polyamideimide polymer composition formed by the reaction of (i) an aromatic diisocyanate, (ii) at least about 75 mole percent to 100 mole percent of trimellitic anhydride; and (iii) about 25 mole percent or less of an, and one or more acid, anhydride, or hydroxy functional reactants reactant selected from the group consisting of benzophenonetetracarboxylic anhydride, p-phthalic acid, o-phthalic acid, m-phthalic acid, 4,4'-oxy-bisbenzoic acid, dicarboxyl terminated poly(acrylonitrile-co-butadiene), adipic acid, diphenylsilanediol, tris(2-hydroxyethyl)cyanurate, and-cyanuric acid, and-melamine derivatives, or a vinyl terminated silicone oil, and combinations thereof; and (iv) an optional component selected from the group consisting of versar wax, an aliphatic diisocyanate, a vinyl terminated silicone oil, tris(2-hydroxyethyl)cyanurate, and combinations thereof; in an organic solvent wherein the aggregate amount of the trimellitic anhydride, and the other-acid, anhydride and alcohol-hydroxy functional reactants or vinyl terminated silicone oil-is substantially the molar equivalent of the amount of the aromatic diisocyanate; and
- 2) dispersed in said polymer solution, a particulate component selected from the group consisting of a flurofluoropolymer and a mineral filler.
- 22. (Currently amended) The coating composition of claim 21 wherein at least one <u>reactant of the reactants</u> is a hydroxy functional compound selected from the group consisting of diphenylsilanediol, tris(2-hydroxyethyl)cyanurate, cyanuric acid, and melamine derivatives.
- 23. (Currently amended) The coating composition of claim 21 wherein at least one <u>reactant of the reactants</u> is benzophenonetetracarboxylic anhydride.
- 24. (Currently amended) The coating composition of claim 21 wherein at least one <u>reactant of the reactants</u> is a diacid selected from the group consisting of p-<u>phthalic</u>

<u>acid</u>, o-<u>phthalic acid</u>, and-m-phthalic acid, 4,4'-oxy-bisbenzoic acid, poly(acrylonitrile-co-butadiene)dicarboxy terminated, and adipic acid.

- 25. (Currently amended) The coating composition of claim 21 wherein the amount organic solvent solution includes at least about 85 mole percent of trimellitic anhydride used as a reactant is at least 85 mole percent based on the amount of the diisocyanate.
- 26. (Previously presented) The coating composition of claim 25 wherein the reactants include at least two unique diacid reactants.
- 27. (Previously presented) The coating composition of claim 25 or claim 26 wherein the reactants include benzophenonetetracarboxylic anhydride.
- 28. (Currently amended) The coating composition of claim 21 wherein the amount organic solvent solution includes at least about 95 mole percent of trimellitic anhydride used as a reactant is at least 95 mole percent based on the amount of the dissocyanate.
- 29. (Previously presented) The coating composition of claim 28 wherein the reactants include at least one diacid.
- 30. (Previously presented) The coating composition of claim 28 or claim 29 wherein the reactants include at least one dihydroxy functional reactant, at least one trihydroxy functional reactant, or benzophenonetetracarboxylic anhydride.
- 31. (Currently amended) The coating composition of claim 21, claim 22, claim 23, claim 24, claim 25, claim 26, claim 28, or claim 29 wherein the particulate component is polytetrafluorofluroethylene.
- 32. (Previously presented) The coating composition of claim 21, claim 22, claim 23, claim 24, claim 25, claim 26, claim 28, or claim 29 wherein the particulate component is a mineral filler.
- 33. (Previously presented) The coating composition of claim 31 further including a mineral filler.
- 34. (Currently amended) A craze resistant wire coating composition for magnet wires which comprises comprising:

a solution of a polyamideimide polymer formed by the reaction of a diisocyanate with a reactant mixture comprising trimellitic anhydride, at least one diacid, and diphenylsilanediol in an organic solvent; and

dispersed in said polymer solution, a particulate component selected from the group consisting of a flurofluoropolymer and a mineral filler.

- 35. (Previously presented) A magnet wire comprising a conductor element and a coating of the composition of claim 34.
- 36. (Previously presented) A magnet wire comprising a conductive element coated with a composition of claim 21, claim 22, claim 23, claim 24, claim 25, claim 26, claim 28, or claim 29.
- 37. (Currently amended) A magnet wire according to claim 35, further including comprising a base layer selected from the group consisting of a polyamideimide and a polyester, said base layer positioned between the conductive element and the layer of craze resistant wire coating composition.
- 38. (Currently amended) A magnet wire according to claim 36, further including comprising a base layer selected from the group consisting of a polyamideimide and a polyester, said base layer positioned between the conductive element and the layer of craze resistant wire coating composition.
- 39. (Currently amended) A craze resistant wire coating composition for magnet wires comprising:
- 1) a-an organic solvent solution of a polyamideimide polymer composition formed by the reaction of an aromatic diisocyanate, (i) an aromatic diisocyanate; (ii) at least about 75 mole percent to 100 mole percent of trimellitic anhydride; and (iii) about 25 mole percent or less of an, and one or more acid functional reactants reactant selected from the group consisting of p-phthalic acid, o-phthalic acid, m-phthalic acid, 4,4'-oxy-bisbenzoic acid, dicarboxyl terminated poly(acrylonitrile-co-butadiene), and adipic acid, or and combinations thereof; and (iv) an optional component selected from the group consisting of versar wax, an aliphatic diisocyanate, a vinyl terminated silicone oil, tris(2-hydroxyethyl)cyanurate, and combinations thereof; in an organic solvent wherein the aggregate amount of the trimellitic anhydride, and the other-acid functional reactants or vinyl terminated silicone oil is substantially the molar equivalent of the amount of the aromatic diisocyanate; and
- 2) dispersed in said polymer solution, a particulate component selected from the group consisting of a flurofluoropolymer and a mineral filler.
- 40. (Previously presented) A magnet wire comprising a conductive element coated with a composition of claim 39.
- 41. (Currently amended) The magnet wire of claim 40, further comprising a base layer selected from the group consisting of a polyamideimide and a polyester, said

<u>base layer</u> positioned between the conductive element and the layer of craze resistant wire coating composition.